

Respiratory Virus Surveillance Report¹



New Jersey Department of Health Communicable Disease Service

Week ending January 19, 2013 (MMWR week 3)

SYNOPSIS

	Influenza Activity Le	vel ²
State Activi	ty Week ending 01/19:	
	HIGH	Susse Pag Bengin
Current week	Last year: MODERATE	Morres Hours (see)
Re	egional ³ Data	Hunter or Man don set Man mouth
Northwest	HIGH	Bullinton Ocean
Northeast	HIGH	Surrigion (Surrigion)
Central West	HIGH	Salem Atlanto
Central East	HIGH	Cope
South	HIGH	•


	ILI Activity ⁴					
	P	ercent ILI/Absente	eeism	Baselines		
	Current week (range by county)	Last week Current year	Current week Last year	Non-season ⁵ Season ⁶ (3 low, 3 high)		
Long Term Care Facilities	3.66 (0.00, 19.26)	2.62	0.99	0.59 (0.62, 0.85)		
Schools (absenteeism)	4.94 (0.42, 9.79)	5.77	4.77	3.85 (4.75, 4.85)		
Emergency Departments	9.43 (2.11, 14.37)	8.17	2.72	2.59 (3.43, 4.34)		

Viral A	ctivity ⁷		
	Current Week	Past 3 Weeks	Cumulative Total
Influenza H1N1 (2009)	2	12	18
Influenza H3N2	22	101	251
Influenza B	32	69	113
Respiratory Syncytial Virus (RSV)	205	619	1782
Rapid Influenza Tests	743	1741	2234


ILINet Providers					
Current W	eek	Previous W	⁷ eek		
#of reporters	%ILI	#of reporters	%ILI		
7	5.90	16	4.90		

Virologic Surveillance⁷


Influenza Positive Specimens (PCR) - Result by Week




Influenza Positive Specimens (PCR)- Result by Region³




Influenza Rapid Antigen Result by Week



Respiratory Syncytial Virus (RSV) Results by Week



Influenza-like Illness Surveillance



Respiratory Outbreaks in Long Term Care Facilities⁹


3/2/13

6/8/13

8/3/13

Cumulative outbreaks 2012-2013 season	62
No. outbreaks last 3 weeks	50
Regions with recent	NW(7), NE(6),
outbreaks	CW(7), CE(18),
	S(12)





Additional Information

A second report containing information about age specific illness, hospitalization and deaths will be produced on a monthly basis or as needed when important information needs to be disseminated.

For additional information regarding influenza surveillance please visit the following websites.

http://nj.gov/health/flu/surveillance.shtml http://www.cdc.gov/flu/

Footnotes:

- 1. This report represents activity occurring in New Jersey related to influenza and RSV. In addition, reports of other circulating respiratory viruses will be included when available.
- 2. Activity levels for the state and region are defined in Table 1 and 2 at the end of this document.
- 3. The following is a breakdown of counties contained within each public health region: Northwest: Morris, Passaic, Sussex, Warren; Northeast: Bergen, Essex, Hudson; Central west: Hunterdon, Mercer, Somerset; Central East: Middlesex, Monmouth, Ocean, Union; South: Atlantic, Burlington, Camden, Cape May, Salem, Cumberland, Gloucester
- 4. Influenza-like illness (ILI) is defined as fever (> 100°F [37.8°C], oral or equivalent) and cough and/or sore throat (in the absence of a known cause other than influenza). For long term care facilities, fever is defined as 2° above baseline temperature.
- 5. Non-season baseline is calculated by taking the average of statewide percentages of ILI for a 7 year (2006, 2007, 2008, 2009, 2010, 2011, 2012) period during months when influenza is less likely to be circulating (May-August).
- 6. Three year seasonal averages are determined by calculating the average percent ILI/absenteeism for each influenza season (October to May). These averages are ranked and the three highest and lowest overall season averages were selected. The three highest and lowest numbers were then averaged to obtain a single high and single low value. The season which contribute to the high and low value vary by entity type and are as follows: LTCF (High: 06-07, 07-08, 08-09; Low: 09-10, 10-11,11-12), ED (High: 06-07, 08-09, 09-10; Low: 07-08, 10-11, 11-12) and schools (High: 06-07, 07-08, 08-09; Low: 09-10, 10-11,11-12). A week by week average was also calculated using the average of the seasons listed above for each entity type.
- 7. Viral activity: Real-time polymerase chain reaction (PCR) results are obtained from electronic laboratory transmission submitted by acute care, commercial and public health laboratories to CDRSS. Rapid influenza test data and respiratory syncytial virus data are acquired from facilities reporting rapid influenza tests via the National Respiratory and Enteric Virus Surveillance System (NREVSS) or CDRSS ILI module. Counts for cumulative totals begin with week ending October 6, 2012. Three week count data includes current week and two prior weeks. Data presented for RSV and rapid influenza testing represent information for the week prior to the current report week.
- 8. Daily visits and admission associated with ILI from emergency department data is collected via EpiCenter and Hippocrates. Prior to these systems, data on ILI visits were only recorded one day per week usually on Tuesday. This system is maintained as a large amount of historical data allows for better seasonal comparisons.
- 9. Only LTCF outbreaks reported to NJDOH that received an outbreak number are recorded in this report.

	I	<u>Table 1</u> nfluenza Activity Level – Definitions for	State Ac	tivity			
NJ Level	CSTE Level	<u>Definition</u>					
		ILI Activity/Outbreaks		Lab Activity			
	No Activity	ILI activity at or below baseline AND no detected outbreaks	AND	No lab confirmed cases			
Low	Sporadic	Low ILI activity detected OR one lab confirmed outbreaks anywhere in the state	AND	Sporadic isolation of laboratory confirmed influenza			
	Local	Increase in ILI activity OR two or more lab confirmed outbreaks in one public health region (Other regions not experiencing increased ILI activity)	AND	Recent (within 3 weeks) laboratory activity in the region with increased ILI			
Moderate	Regional	Increase in ILI activity OR two or more lab confirmed outbreaks in at least 2 public health regions (Other regions not experiencing increased ILI activity)	AND	Recent (within 3 weeks) laboratory activity in the region with increased ILI			
High	Widespread	Increase in ILI activity OR two or more lab confirmed outbreaks in > 2 public health regions	AND	Recent (within 3 weeks) laboratory activity in the region with increased ILI			

<u>Table 2</u> Influenza Activity Level – Definitions for Public Health Regions						
NJ Level	Level Definition					
Low	Low ILI activity detected OR one lab confirmed outbreaks anywhere in the region	AND	Lab Activity Sporadic isolation of laboratory confirmed influenza anywhere in the region			
Moderate	Increased ILI activity in less than half of the counties in the region OR two lab confirmed outbreaks in the public health region	AND	Recent (within 3 weeks) laboratory activity in same counties of the region with increased ILI			
High	Increased ILI activity in more than half of the counties in the region OR three or more lab confirmed outbreaks in the region	AND	Recent (within 3 weeks) laboratory activity in more than half of the counties in the region with increased ILI			

Notes:

ILI activity: Systems used to detect increases in ILI activity include: ILINet (i.e., sentinel providers), school absenteeism data, ED ILI visits and admission collected via Hippocrates and EpiCenter systems, LTCF ILI data, LTCF outbreak data, and information on influenza mortality (122 city, influenza associated death report).

Lab Activity: Virologic surveillance data from PHEL and commercial laboratories will be used as the primary data source for the above levels. However, rapid influenza test data will also be considered when determining the appropriate activity levels.

Communicable Disease Reporting and Surveillance System

NJ ACTIVE INFLUENZA-LIKE ILLNESS SURVEILLANCE STATISTICS SURVEILLANCE DATE: 01/15/2013 to 01/15/2013



		Long Term Care		Schools			Hospital Emergency Department			
County	# Enrolled	# Reports Rec'd	% ILI	# Enrolled	# Reports Rec'd	% Absent	# Enrolled	# Reports Rec'd	% ILI	
January, 15, 2013 12:00 AM MM	RW WEEK 3									
ATLANTIC	4	3	2.94	51	44	8.65	5	4	8.63	
BERGEN	6	2	1.23	36	18	5.73	5	5	8.45	
BURLINGTON	6	1	0.00	115	61	6.47	4	3	8.35	
CAMDEN	5	0	0.00	17	0	0.00	7	7	10.35	
CAPE MAY	7	4	0.29	11	11	8.57	1	1	6.14	
CUMBERLAND	2	1	8.81	11	5	9.79	3	3	14.37	
ESSEX	10	3	0.00	20	6	4.92	11	8	10.43	
GLOUCESTER	5	4	1.22	6	6	4.05	2	2	4.89	
HUDSON	16	5	3.44	88	59	7.00	6	5	10.16	
HUNTERDON	4	4	6.51	8	8	5.94	1	1	7.46	
MERCER	10	0	0.00	27	19	6.78	5	5	15.60	
MIDDLESEX	20	0	0.00	35	0	0.00	6	6	10.61	
MONMOUTH	14	5	2.29	26	18	7.24	5	5	6.81	
MORRIS	4	0	0.00	5	0	0.00	4	4	4.81	
OCEAN	23	14	5.89	22	20	8.81	4	2	8.45	
PASSAIC	9	6	1.19	51	33	6.42	3	3	11.81	
SALEM	2	0	0.00	10	4	7.53	1	0	0.00	
SOMERSET	6	3	1.95	87	28	5.14	1	1	4.93	
SUSSEX	5	3	1.09	24	17	8.37	2	2	2.11	
UNION	3	0	0.00	195	20	5.75	5	5	5.00	
UNKNOWN	0	0	0.00	1	1	4.44	0	0	0.00	
WARREN	4	3	19.26	27	19	0.42	2	2	12.86	
NW Region	22	12	3.38	107	69	1.91	11	11	8.80	
NE Region	32	10	2.54	144	83	6.73	22	18	9.86	
CW Region	20	7	4.61	122	55	5.75	7	7	13.38	
CE Region	60	19	4.99	278	58	7.46	20	18	7.96	
South Region State Total	31 165	13 61	2.62 3.66	221 872	131 396	7.49 4.94	23 83	20 74	9.57 9.43	
State I Otal	103	01	3.00	012	390	7.24	- 65	7-4	7.73	

User Name: THOMAS, DEEPAM Page 1 of 1

NJ ACTIVE INFLUENZA-LIKE ILLNESS SURVEILLANCE STATISTICS SURVEILLANCE DATE: 01/15/2013 to 01/15/2013



HEÄLTH SENIOR SERVICES

	RSV	Tests	Flu	Tests	
County	# Positive	Total Tests Performed	# Positive	Total Tests Performed	
January, 15, 2013 12:00 AM MN	IRW WEEK 3				
ATLANTIC	18	76	72	345	
BERGEN	22	79	105	494	
BURLINGTON	11	47	78	353	
CAMDEN	17	70	16	91	
CAPE MAY	3	17	17	98	
CUMBERLAND	4	14	0	0	
ESSEX	24	100	116	563	
GLOUCESTER	5	17	30	140	
HUDSON	5	35	0	0	
HUNTERDON	7	11	46	159	
MERCER	14	62	7	49	
MIDDLESEX	40	196	0	0	
MONMOUTH	18	130	153	766	
MORRIS	3	15	27	139	
OCEAN	6	19	33	175	
PASSAIC	0	0	0	0	
SALEM	1	3	0	0	
SOMERSET	0	0	0	0	
SUSSEX	2	14	11	48	
UNION	3	20	5	34	
WARREN	2	10	27	156	
NW Region	7	39	65	343	
NE Region	51	214	221	1057	
CW Region	21 67	73 365	53	208 975	
CE Region South Region	59	365	191 213	1027	
State Total	205	935	743	3610	